

# BOARD SPECIFICATIONS

2010/2011

## SLALOM



|      | LENGTH | WIDTH | VOLUME | WEIGHT | FIN | FIN TYPE | SAIL RANGE | TAIL | NOSE | TAIL ROCKER | NOSE ROCKER | PLANING STRAIGHT | ROCKER/1.2* | ROCKER/1.8* | CONSTRUCTION | GUIDE RANGE                                                                                                                                                                | DESIGNER: PHIL MCGAIN |
|------|--------|-------|--------|--------|-----|----------|------------|------|------|-------------|-------------|------------------|-------------|-------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| 52 / | 2500   | 52    | 84L    | 5.4    | 30  | TUTTLE   | 4.5-6.0    | 326  | 390  | 0           | 190         | 760              | 4           | 45          | STD + PRO    | <div><div>FLAT</div><div>CHOP</div><div>SIDESHORE WAVE</div><div>OFFSHORE WAVE</div></div> <div><div>BEG</div><div>INT</div><div>ADV</div><div>PRO</div></div> <div></div> |                       |
| 55 / | 2500   | 55    | 91L    | 5.7    | 32  | TUTTLE   | 5.0-7.0    | 338  | 412  | 0           | 190         | 760              | 4           | 45          | STD + PRO    |                                                                                                                                                                            |                       |
| 58 / | 2500   | 58    | 96L    | 6      | 34  | TUTTLE   | 5.5-7.5    | 368  | 438  | 0           | 190         | 760              | 4           | 45          | STD + PRO    |                                                                                                                                                                            |                       |
| 62 / | 2500   | 62    | 101L   | 6.3    | 38  | TUTTLE   | 6.0-8.0    | 412  | 466  | 0           | 190         | 760              | 4           | 45          | STD + PRO    |                                                                                                                                                                            |                       |
| 66 / | 2450   | 66    | 108L   | 6.6    | 42  | TUTTLE   | 6.5-8.5    | 442  | 496  | 0           | 195         | 760              | 5           | 49          | STD + PRO    |                                                                                                                                                                            |                       |
| 70 / | 2450   | 70    | 112L   | 6.9    | 44  | TUTTLE   | 7.0-9.0    | 472  | 514  | 0           | 195         | 760              | 5           | 49          | STD + PRO    |                                                                                                                                                                            |                       |
| 75 / | 2450   | 75    | 117L   | 7.2    | 46  | TUTTLE   | 7.0-9.5    | 502  | 564  | 0           | 195         | 760              | 5           | 49          | STD + PRO    |                                                                                                                                                                            |                       |
| 80 / | 2450   | 80    | 121L   | 7.7    | 48  | TUTTLE   | 7.0-10.0   | 542  | 592  | 0           | 195         | 760              | 5           | 49          | STD + PRO    |                                                                                                                                                                            |                       |

## FORMULA



|      | LENGTH | WIDTH | VOLUME | WEIGHT | FIN | FIN TYPE | SAIL RANGE | TAIL | NOSE | TAIL ROCKER | NOSE ROCKER | PLANING STRAIGHT | ROCKER/1.2* | ROCKER/1.8* | CONSTRUCTION | GUIDE RANGE                                                                                                                                                                | DESIGNER: JAMES DINNIS |
|------|--------|-------|--------|--------|-----|----------|------------|------|------|-------------|-------------|------------------|-------------|-------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| 73 / | 2350   | 100   | 149    | 8.6    | 70  | TUTTLE   | 9.0-11.0   | 730  | 754  | 0           | 188         | 730              | 8           | 57          | PRO          | <div><div>FLAT</div><div>CHOP</div><div>SIDESHORE WAVE</div><div>OFFSHORE WAVE</div></div> <div><div>BEG</div><div>INT</div><div>ADV</div><div>PRO</div></div> <div></div> |                        |
| 78 / | 2350   | 100   | 152    | 8.8    | 70  | TUTTLE   | 9.0-12.0   | 780  | 752  | 0           | 198         | 780              | 8           | 61          | PRO          |                                                                                                                                                                            |                        |
| 82 / | 2350   | 100   | 155    | 9      | 70  | TUTTLE   | 10.0-12.0  | 820  | 758  | 0           | 208         | 820              | 9           | 66          | PRO          |                                                                                                                                                                            |                        |

## FREERIDE



|      | LENGTH | WIDTH | VOLUME | WEIGHT | FIN | FIN TYPE | SAIL RANGE | TAIL | NOSE | TAIL ROCKER | NOSE ROCKER | PLANING STRAIGHT | ROCKER/1.2* | ROCKER/1.8* | CONSTRUCTION | GUIDE RANGE                                                                                                                                                                | DESIGNER: JAMES DINNIS |
|------|--------|-------|--------|--------|-----|----------|------------|------|------|-------------|-------------|------------------|-------------|-------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| 60 / | 2500   | 60    | 100    | 6.5    | 34  | TUTTLE   | 5.0-7.0    | 370  | 444  | 0           | 192         | 760              | 4           | 46          | STD          | <div><div>FLAT</div><div>CHOP</div><div>SIDESHORE WAVE</div><div>OFFSHORE WAVE</div></div> <div><div>BEG</div><div>INT</div><div>ADV</div><div>PRO</div></div> <div></div> |                        |
| 68 / |        |       |        |        | 38  | TUTTLE   | 5.5-7.5    | 420  | 505  | 0           | 192         | 760              | 4           | 46          | STD          |                                                                                                                                                                            |                        |
| 77 / | 2500   | 77    | 125    | 8      | 44  | TUTTLE   | 6.5-8.5    | 480  | 570  | 0           | 192         | 760              | 4           | 46          | STD          |                                                                                                                                                                            |                        |

## SPEED



|      | LENGTH | WIDTH | VOLUME | WEIGHT | FIN | FIN TYPE | SAIL RANGE | TAIL | NOSE | TAIL ROCKER | NOSE ROCKER | PLANING STRAIGHT | ROCKER/1.2* | ROCKER/1.8* | CONSTRUCTION | GUIDE RANGE                                                                                                                                                                | DESIGNER: CHRIS LOCKWOOD |
|------|--------|-------|--------|--------|-----|----------|------------|------|------|-------------|-------------|------------------|-------------|-------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| 40 / | 2350   | 40    | 60     | 4.5    | 22  | TUTTLE   | 3.5-5.5    | 258  | 340  | 1.5         | 125         | 0                | 2           | 24          | STD + PRO    | <div><div>FLAT</div><div>CHOP</div><div>SIDESHORE WAVE</div><div>OFFSHORE WAVE</div></div> <div><div>BEG</div><div>INT</div><div>ADV</div><div>PRO</div></div> <div></div> |                          |
| 44 / | 2380   | 44    | 65     | 4.7    | 24  | TUTTLE   | 4.0-6.0    | 280  | 396  | 1.5         | 141         | 0                | 2           | 24          | STD + PRO    |                                                                                                                                                                            |                          |
| 47 / | 2400   | 47    | 75     | 4.9    | 26  | TUTTLE   | 4.2-6.5    | 294  | 406  | 1.5         | 149         | 0                | 2           | 24          | STD + PRO    |                                                                                                                                                                            |                          |
| 50 / | 2430   | 50    | 83     | 5.5    | 28  | TUTTLE   | 4.6-6.8    | 306  | 450  | 1.5         | 174         | 0                | 2           | 24          | STD + PRO    |                                                                                                                                                                            |                          |
| 53 / | 2400   | 53    | 85     | 5.6    | 30  | TUTTLE   | 5.5-8.0    | 305  | 428  | 1.5         | 149         | 0                | 2           | 24          | STD + PRO    |                                                                                                                                                                            |                          |

## WAVE V



|      | LENGTH | WIDTH | VOLUME | WEIGHT | FIN  | FIN TYPE | SAIL RANGE | TAIL | NOSE | TAIL ROCKER | NOSE ROCKER | PLANING STRAIGHT | ROCKER/1.2* | ROCKER/1.8* | CONSTRUCTION | GUIDE RANGE                                                                                                                                                                | DESIGNER: JAMES DINNIS |
|------|--------|-------|--------|--------|------|----------|------------|------|------|-------------|-------------|------------------|-------------|-------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| 52 / | 2400   | 52    | 66     | 5.4    | 21   | US BOX   | 3.0-5.0    | 308  | 328  | 63          | 165         | 0                | 5           | 30          | STD + PRO    | <div><div>FLAT</div><div>CHOP</div><div>SIDESHORE WAVE</div><div>OFFSHORE WAVE</div></div> <div><div>BEG</div><div>INT</div><div>ADV</div><div>PRO</div></div> <div></div> |                        |
| 54 / | 2400   | 54    | 73     | 5.6    | 21   | US BOX   | 3.0-5.5    | 322  | 344  | 63          | 165         | 0                | 5           | 30          | STD + PRO    |                                                                                                                                                                            |                        |
| 55 / | 2400   | 55    | 76     | 5.9    | 22   | US BOX   | 3.5-5.5    | 332  | 354  | 63          | 165         | 0                | 5           | 30          | STD + PRO    |                                                                                                                                                                            |                        |
| 56 / | 2400   | 56    | 78     | 6.1    | 22   | US BOX   | 4.0-6.0    | 338  | 360  | 63          | 165         | 0                | 5           | 30          | STD + PRO    |                                                                                                                                                                            |                        |
| 57 / | 2400   | 57    | 81     | 6.3    | 23.5 | US BOX   | 4.5-6.5    | 344  | 366  | 63          | 165         | 0                | 5           | 30          | STD + PRO    |                                                                                                                                                                            |                        |
| 59 / | 2400   | 59    | 86     | 6.6    | 24   | US BOX   | 4.5-6.5    | 366  | 358  | 63          | 165         | 0                | 5           | 30          | STD + PRO    |                                                                                                                                                                            |                        |

## WAVE SC




|      | LENGTH | WIDTH | VOLUME | WEIGHT | FIN  | FIN TYPE | SAIL RANGE | TAIL | NOSE | TAIL ROCKER | NOSE ROCKER | PLANING STRAIGHT | ROCKER/1.2* | ROCKER/1.8* | CONSTRUCTION | GUIDE RANGE                                                                                                                                                                | DESIGNER: JAMES DINNIS |
|------|--------|-------|--------|--------|------|----------|------------|------|------|-------------|-------------|------------------|-------------|-------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| 52 / | 2400   | 52    | 66     | 5.4    | 21   | US BOX   | 3.0-5.0    | 308  | 328  | 54          | 162         | 0                | 8           | 27          | STD + PRO    | <div><div>FLAT</div><div>CHOP</div><div>SIDESHORE WAVE</div><div>OFFSHORE WAVE</div></div> <div><div>BEG</div><div>INT</div><div>ADV</div><div>PRO</div></div> <div></div> |                        |
| 54 / | 2400   | 54    | 73     | 5.6    | 21   | US BOX   | 3.0-5.5    | 322  | 344  | 54          | 162         | 0                | 5           | 27          | STD + PRO    |                                                                                                                                                                            |                        |
| 55 / | 2400   | 55    | 76     | 5.9    | 22   | US BOX   | 3.5-5.5    | 332  | 354  | 54          | 162         | 0                | 5           | 27          | STD + PRO    |                                                                                                                                                                            |                        |
| 56 / | 2400   | 56    | 78     | 6.1    | 22   | US BOX   | 4.0-6.0    | 338  | 360  | 54          | 162         | 0                | 5           | 27          | STD + PRO    |                                                                                                                                                                            |                        |
| 57 / | 2400   | 57    | 81     | 6.3    | 23.5 | US BOX   | 4.5-6.5    | 344  | 366  | 54          | 162         | 0                | 5           | 27          | STD + PRO    |                                                                                                                                                                            |                        |

## WAVE TH



|      | LENGTH | WIDTH | VOLUME | WEIGHT | FIN  | FIN TYPE  | SAIL RANGE | TAIL | NOSE | TAIL ROCKER | NOSE ROCKER | PLANING STRAIGHT | ROCKER/1.2* | ROCKER/1.8* | CONSTRUCTION | GUIDE RANGE                                                                                                                                                                | DESIGNER: JAMES DINNIS |
|------|--------|-------|--------|--------|------|-----------|------------|------|------|-------------|-------------|------------------|-------------|-------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| 54 / | 2350   | 54    | 74     | 5.6    | 11x3 | US/FUTURE | 4.2-5.3    | 355  | 310  | 39          | 188         | 0                | 7           | 46          | STD + PRO    | <div><div>FLAT</div><div>CHOP</div><div>SIDESHORE WAVE</div><div>OFFSHORE WAVE</div></div> <div><div>BEG</div><div>INT</div><div>ADV</div><div>PRO</div></div> <div></div> |                        |
| 56 / |        |       |        |        | 11x3 | US/FUTURE | 4.7-5.8    | 370  | 325  | 39          | 188         | 0                | 7           | 46          | STD + PRO    |                                                                                                                                                                            |                        |
| 59 / | 2370   | 59    | 85     | 6.3    | 12x3 | US/FUTURE | 5.0-6.2    | 380  | 355  | 39          | 200         | 0                | 7           | 46          | STD + PRO    |                                                                                                                                                                            |                        |
| 62 / |        |       |        |        | 13x3 | US/FUTURE | 5.3-6.8    | 395  | 386  | 39          | 217         | 0                | 7           | 46          | STD + PRO    |                                                                                                                                                                            |                        |



MEASUREMENTS / MILLIMETRES  
WIDTH / CENTIMETRES  
VOLUME / LITRES  
WEIGHT / KILOGRAMS  
LINEAR TOLERANCE / +/- 1 MM  
ROCKER TOLERANCE / +/-0.5 MM  
WEIGHT TOLERANCE / +/- 3%



UTILISING THE ADVANTAGES OF COMPUTER AIDED DESIGN (CAD) AND THE PRECISION SHAPING ADVANTAGES OF COMPUTER AIDED MANUFACTURE (CAM), WHILE STILL RETAINING THE PERFECT FINISH ONLY AVAILABLE THROUGH SKILLED HAND FINISHING. PRECISION MANUFACTURING TECHNIQUES FROM DESIGN TO DELIVERY.



PRO MODEL CONSTRUCTION SPECIFICS VARY BETWEEN MODELS. TO PRODUCE THE ABSOLUTE HIGHEST PERFORMING BOARD POSSIBLE THE BEST MATERIALS ARE SPECIFICALLY TAILORED TO THE BOARD TYPE ENHANCING PERFORMANCE IN AREAS SUCH AS STRENGTH, SPEED, WEIGHT AND DAMPENING CONTROL. ALL PRO MODELS ARE FINISHED WITH A SPECIAL TEFLON™-LIKE POLISHED BOTTOM FOR THE ULTIMATE SURFACE FINISH.



carbon art

WWW.CARBONARTWINDSURF.COM